INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

		,			
1 NAME					
HISTORIC					
	an Englar House				
and/or common Brook	land Farm or The	Englar Farm			
2 LOCATION					
STREET & NUMBER					
	U.S. Rt.#31, New	Windsor Road	"Buffalo Ro	nad")	
CITY, TOWN		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CONGRESSIO		ст
New Windsor	X	VICINITY OF			
STATE	776	COUNTY			
Maryland 21					
3 CLASSIFICA	ATION	,			
CATEGORY	OWNERSHIP	STATUS		PRESE	NTUSE
DISTRICT	PUBLIC	_XOCCUPIED	 AGRIC	ULTURE	MUSEUM
_XBUILDING(S)	→ PRIVATE	UNOCCUPIED	COMM	ERCIAL	PARK
STRUCTURE	BDTH	WORK IN PROGRESS	EDUCA	TIONAL	XPRIVATE RESIDENC
SITE	PUBLIC ACQUISITION	ACCESSIBLE		TAINMENT	RELIGIOUS
OBJECT	IN PROCESS	_x¥ES: RESTRICTED	GOVER		SCIENTIFIC
:	BEING CONSIDERED	YES: UNRESTRICTED	INDUS		TRANSPORTATION
		NO	MILITA		OTHER:
4 OWNER OF	PROPERTY				
Mr. and Mrs.	Richard S. Snade	r	Telephone	#:301-	-635-2666
STREET & NUMBER				4	
New Windsor	Road				
CITY, TOWN	TO GG		S	TATE, Z	ip code
New Windsor		VICINITY OF	Maryland	21776	_
	OF LEGAL DESCR	IPTION			
<u> </u>		-1011	Liber #:	JBB #3	19
COURTHOUSE.	TC Carroll Co. Adm	in Building	Folio #:	280	
	Carroir Co. Adm	III. BULLULING			
STREET & NUMBER	225 North Cente	r Stroot			
CITY, TOWN	ZZJ NOLUI CEIILE	I PILEEL	S1	TATE	
	Westminster			yland	
C DEDDECENT	TATION IN EXIST	NIC CLIDVEVC		- y ±unu	
O KEIKESEN	IATION IN EXIST	INGSURVEIS			
TITLE					
				decision of the second	
DATE		graphic part des. A. a.			
DEBOCITORY COR	•	FEDERAL	STATECOUNTY	LOCAL	·
DEPOSITORY FOR SURVEY RECORDS					
CITY, TOWN	The state of the s	 	et.	ATE	
G.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			51	OIF.	



CARR-877

CONDITION

CHECK ONE

CHECK ONE

XEXCELLENT

__DETERIORATED

__UNEXPOSED

__UNALTERED

X_ORIGINAL SITE

__GOOD __FAIR __RUINS

_XALTERED

MOVED DA

__MOVED

DATE_____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

(See separate sheet) attached

The Elhanon Englar House on Brookland Farm is located on the west side of Maryland Route #31 (New Windsor Road); just outside the town limits of New Windsor, Maryland in the northwest section of Carroll County. The dwelling is part of a complex of farm buildings which includes a barn, wagon shed, silo and smoke house.

The original dwelling is situated on a sloping site with it's major axis running north and south and measures 34'-2" deep and 41'-9" long. It is a gable-roofed, five bay common bond brick dwelling with a brick water table running around a portion of the base. Foundation walls are native limestone and are exposed at varying heights around the perimeter walls. It appears that the house may have been constructed on the foundations of an earlier house on the site.

Rectangular in plan it is two rooms deep and is entered through a central entrance hall flanked by one room on each side. The north front elevation is a full three stories out of the ground. Entrance doors to the foyer at the basement and the first floor are located in the center bay. The five bay south elevation is two stories in height from the existing grade. A new addition has been added to this side of the dwelling. Double interior brick chimneys with two flues in each side are major design elements on the east and west elevations. Elaborate and handsome 'Italianate' wood porches are significant and dominant architectural features of the north and west elevations.

The alteration really is the replacement of the sisch with an askelished The only alteration to the exterior of the original dwelling was the removal of a deteriorated, simply constructed two-story wood porch on the rear (south) elevation in 1978. A new addition constructed of wood framing with horizontal beaded board siding was added in 1980. (See photographs and floor plans.)

All of the windows are the original wooden double-hung six over six light sash; original basement windows on the east elevation, one basement window on the west elevation, and one arched-top six over six window in both the east and west elevations at the attic level. The wooden louvered shutters are original to the house.

The east elevation has two windows at the first and second floor levels. A marble datestone with the date 1873 is located just under the farched-top window at the attic level on the east elevation. A door is centered between the first floor windows on the west elevation.

This dwelling was obviously built by a man of means. The size, grand proportions and the amount of exterior and interior architectural detailing set it apart from other dwellings in the region as being distinctive and architecturally important. The porch on the north elevation extends across the three center bays and the first floor is reached by a monumental set of stairs at the east end of the porch. There was originally a like set on the west end also. They were removed years ago by a prior owner due to deterioration.

The smaller porch on the west elevation is particularly unusual in that it is constructed of wood except for the cast iron decorative panels that have been used in lieu of a wood balustrade; like the main porch.

No interior alterations had been made by previous owners. The existing kitchen was renovated and remains in the original location. The original bathroom on the second floor was enlarged to include an adjacent small room; achieved by removing a stud and plaster partition. It should be noted that the house was originally built with a bathroom.

A brickwalled cistern for the house was discovered under the porch when it was removed. The cistern was original to the house and was located adjacent to the kitchen and a chase on the kitchen wall that extended up to the storage tank in the attic. The original wood copper-lined water tank remained until 1978, when it was removed to make additional space for a bedroom. The attic or third floor had always been used as a sleeping area. The walls are plastered and the two attic rooms were trimmed out with natural pine floor boards, peg boards for clothing running the full length, vertical T&G board partitions and batten doors. The original patina was undisturbed on all of the wood. Lov are — frot, guin present decorative defailing

Basement/Ground Floor: The ground floor is entered through a foyer which contains a stairway to the first floor. To the left and down three risers is a spring room which has the original brick floor and a trough fed by a natural spring for cooling food. To the right you enter the summer kitchen and back of that is a small room with a fireplace. That small room opened onto a small storage room behind the springroom. The fireplace in the summer kitchen was very large.

FIRST FLOOR: The first floor is entered through a center foyer on the north elevation. The foyer contains an open curving stairway which is open through to the second floor. The ceiling is extremely high. To the left is the front parlor with an original Latrobe stove in front of an elaborate painted and marblized wood mantle. The house was designed for heating with stoves and not fireplaces. The parlor opens onto a back parlor through original double doors. All of the heavy architectural trim remains intact throughout the house. To the right of the entrance foyer is the dining room. It retains the original decorative mantle. Behind this room is the kitchen on the southwest corner of the house. A decorative mantle was removed - fraction? to make additional space for cabinetry; but was put into storage. A wall cupboard next to it was left in place and covered with cabinetry. Cooking was originally done with a stove so that there was never a working fireplace in this room. There is an entrance to a stairwell leading to the second floor on the east wall. On the north wall is a door leading to a stairway to the basement and as well as the entrance foyer and dining room. The new wing is entered through enlarged existing door openings on the south wall.

SECOND FLOOR: The second floor is entered from the kitchen stairway and the main stair in the front foyer. At the head of the main stairs

the hallway opens onto bedrooms; one on each side. There is a bedroom directly behind the front left bedroom which opens onto a back hall. The back hall opens onto the stairs to the kitchen and the stairs to the attic and the bathroom. A corridor was taken from the original bathroom so that one did not have to go through the bathroom to get to the sleeping area on the attic level.

ATTIC LEVEL: Originally the sleeping area for hired help. It now has a bathroom installed in the space that was a storage closet. The space was originally divided into two rooms with the closet betweem them. The two rooms remain and are being used as bedrooms.

The original outbuildings reflect typical vernacular styles of regional farm buildings. The stone barn has an overhanging front lobe; but the area under it was closed-in with concrete blocks to convert the barn to a dairy operation at some point in time. Farm buildings contemporary with the dwelling are the barn, the wagon shed and the smoke house. The silo is of a later vintage. The stone base barn is 3 bays in length and the upper portion is covered with vertical wood siding; as is the wagon shed. The smoke house is constructed of brick. A new three bay beaded horizontal siding garage with a greenhouse on the south elevation, an outdoor swimming pool and a circular drive were added when the frame addition was built in 1980. (See photographs.)

BOUNDARY JUSTIFICATION: Boundary justification for including 12 acres is based on the fact that the original outbuildings are part of the complex and have been in continued farm use since the complex was built. The farm buildings are presently in use for a limited farming operation. By including the 12 acres on which the complex sits; it is possible to create a buffer zone between this site and undesirable development which might take place in the future on adjacent land. The inclusion of 12 acres would provide this protective, important green buffer zone.

PERIOD PREHISTORIC1400-14991500-15991600-16991700-1799 X_1800-18991900-	ARCHEOLOGY-PREHISTORIC _ARCHEOLOGY-HISTORIC XAGRICULTURE XARCHITECTURE _ART XCOMMERCE _COMMUNICATIONS	REAS OF SIGNIFICANCE CH COMMUNITY PLANNING CONSERVATION ECONOMICS EDUCATION ENGINEERING EXPLORATION/SETTLEMENTINDUSTRYINVENTION	ECK AND JUSTIFY BELOW LANDSCAPE ARCHITECTURE LAW LITERATURE MILITARY MUSIC PHILOSOPHY POLITICS/GOVERNMENT	RELIGION SCIENCE SCULPTURE SOCIAL/HUMANITARIAN THEATER TRANSPORTATION OTHER (SPECIFY)
SPECIFIC DA	res 1873	BUILDER/ARC	нітест unknown	
	COMMUNICATIONS	MC:TNBVNI		

STATEMENT OF SIGNIFICANCE

(See separate sheets) attached

ple with the property of the

8 SIGNIFICANCE

but in scale sort of comparing CARR-877

The house on Brookland Farm was built for Elhanan Englar in 1873. It is an architecturally significant example of a fine nineteenth century Victorian country house belonging to the Second Empire It exhibits exceptional wood and brick details in the "Italianate" baroque revival style. The overall architectural character of the Englar House is one of affluence, impressive scale and generous proportions. Overall, the exterior fabric of the house is handsomely executed and the original house retains the same appearance that it had when built in 1873. Alterations consist of the addition of a new wing on the south elevation (or back) of the house. Elements of design such as roof pitch, windows with an arched head and beaded horizontal wood siding have been repeated and used in the new addition. It is designed in a manner which does not compete with the architecture of the original house; but compliments it in an understated manner.

There are two houses in New Windsor with related and similar architectural detailing. They display characteristics that are distinctly the work of the same carpenters and masons. This small group of houses share regional qualities and are a resource for details not found in other dwellings in the vicinity or other counties.

The Englar House is a significant surviving example of domestic architecture from an eclectic almost "nameless" period that freely mixed elements from many styles and periods. Prominent architectural details that are particularly outstanding are the heavy wood porch cornices, brackets, supporting posts, drop heavy wood posts, "Italianate" balustrades and handrailings, ornaments, newel posts, "Italianate" balustrades and handrailings, cast iron decorative inserts under the wood handrails, marble window sills and the decorative brick cornices.

The Englar House is the focal point of a complex of buildings which includes the barn built by Englar, the wagon shed, silo, smoke house, new garage, new addition to the house and a swimming pool. Elhanan Englar, the man for whom the house was built was the owner/operator of the Englar Mill. He also managed a farming and livestock operation on Brookland Farm. Therefore, areas of significance besides architecture are agriculture and commerce.

The high style brick farm house relates to the fact that Carroll County was one of the richest agricultural areas in the state of Maryland. And the Englar house was built by a man who started a tradition of successful Carroll County farmers.

The Englar Mill originally stood across Route #31 just west of the present entrance to Brookland Farm. Englar demolished the mill building in 1937. The miller's house is still standing at the entrance to Brookland; (See photographs) but is not owned by the Snaders.

here is a facility of

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Carroll County Land Records, County Administration Building,
Westminster, Maryland
Carroll County Assessment Records (same as above)
Maryland History Notes, published by Maryland Historical Society,
Volume 4, July 1946, Number 2.
The Tercentenary History of Maryland; Vol.III, S.J. Clark
Publishing Company, 1925.
Scharf, J. Thomas, History of Western Maryland, Vol.2,
Philadelphia; Louis H. Everts, 1882.

LIST OF PHOTOGRAPHS/ELHANAN ENGLAR HOUSE/BROOKLAND FARM New Windsor Carroll County Maryland

- 1. North Elevation House
- 2. West Elevation house
- 3. South Elevation house
- 4. East Elevation house
- 5. West Elevation house
- 6. East Elevation house
- 7. West Elevation house
- East Elevation (facing west)house
- 9. Interior of front Parlor mantle and Latrobe stove
- 10. Interior of stairs in Entrance Foyer
- 11. Interior of stairs in Entrance Foyer
- 12. Detail at porch on North elevation house
- 13. Detail at brick on South east corner of house
- 14. Farm buildings
- 15. Barn Interior of barn
- 16. Barn Interior
- 17. Farm buildings anf house facing east
- 18. Barn facing west
- 19. East elevation of barn gable
- 20. Barn door latch detail

LIST OF COLORED SLIDES/ELHANAN ENGLAR HOUSE/BROOKLAND FARM New Windsor Carroll County Maryland

- Northwest Elevation House
- Northeast elevation house
- East elevation house
- 4. East elevation house
- 5. South elevation house
- 6. West elevation house
- 7. East elevation barn
- 8. Facing West/farm buildings from house
- 9. Interior stairs at front foyer/main entrance
- 10. Interioir stairs at front foyer
- 11. Interior in front parlor/Latrobe stove and mantle

Verbal Boundary Description:

Beginning at the bridge on Maryland Route #31, proceed along the the Little Dickerson Creek to the Western Maryland railroad track bed which forms the Northern boundary line of the 12 acre site. Proceed along the railroad and turn South at the fenceline and proceed South along the fenceline to the wire fence across the rear of the site at the crest of the hill. Turn West at the wire fence at the crest of the hill and proceed West across the rear of the site to the corner of the adjacent parcel owned by E. Laine; continue North along the irregular property line to the point where the property line turns West and stops at Route #31. Follow Northwest along Route #31 to the bridge and the point of origin. The nominated property occupies 12 acres which are part of a 120 acre parcel owned by Richard S. Snader.

9 MAJOR BIBLIOGRAPHICAL REFERENCES

(See separate sheet) attached

	037	CEDADAME	SHEET	TF	NECESSARY
CONTINUE	ŲΝ	PERMYATE	O111111		

10 GEOGI	RAPHICAL	DATA

ACREAGE OF NOMINATED PROPERTY ______12

VERBAL BOUNDARY DESCRIPTION

(See separate sheet) attached

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE

COUNTY

STATE

COUNTY

11 FORM PREPARED BY

NAME / TITLE

NAMEZITE	
Eleanor Lakin AIA	DATE
- CANIZATION	December 31,1980
Eleanor Lakin Architects AIA	TELEPHONE
OTREET 8. NUMBER	301-791-2922
879 Commonwealth Avenue	STATE
CITY OR TOWN	Maryland 21740
Hagerstown	

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle


Annapolis, Maryland 21401

(301) 267-1438

Published Quarterly by the Maryland Historical Society

JULY, 1946


Number 2



EARLY TRAIN WRECK: WESTERN MARYLAND RAILROAD, 1863 Water Color by Frederick Dielman, aged 16 years.

Water Color by Frederick Dielman, aged 16 years.

This sketch, presented to the Society by Louis H. Dielman in 1938, is an eve-witness view of the accident which took place on the farm of Elhanan Englar, near New Windsor, Carroll County, at eight o'clock in the morning of August 5, 1863. A heavy rain the day before had weakened the masonry supporting the bridge, which gave way just after the engine had crossed. The only casualty the day before had weakened the masonry supporting the bridge, which gave way just after the engine had crossed. The only casualty the day before had weakened the masonry supporting the bridge, which gave way just after the engine had crossed. The only casualty the day before had weakened the masonry supporting the bridge, which gave way just after the engine had crossed. The only casualty the day before had weakened the masonry supporting the bridge, which gave way just after the engine had crossed. The only casualty were was badly damaged. Repairs were was the conductor, Samuel Andrews, whose injuries were not fatal. The wooden passenger coach was badly damaged. Repairs were was the conductor, Samuel Andrews even and traffic was resumed two days later. During the interval, mail was sent by hand car from the Relay House at Elkridge and loaded on a car at the western end of the break. Settle Maryland as a boy. He was eduficiated at Calvert College, at the Maryland Institute, and at the Royal Academy in Munich. In 1876 he opened a New York studio, and cated at Calvert College, at the Maryland Institute, and at the Royal Academy in Munich. In 1876 he opened a New York studio, and "History" in the Library of Congress; "Thrift" in the Albany Savings Bank, and six in the State Capitol at Des Moines, Iowa. He painted the seven Library of Congress; "Thrift" in the Albany Savings Bank, and six in the State Capitol at Des Moines, Iowa. He painted the seven Library of Design in 1881, he was admitted to full membership in 1883 and was president from 1899 to 1910. A member National Academy of Desig



WINDS POR 4 462 16 11 2110 S. 1+PHITS, 21 930/06 71.374 7230 SEE SUPPLEMENTAL SHEETS 1 10 7 [1"+50"] RAPR & BREFER 284/289 138 88A BOSEFT LEE SUNGLUFF 165/447 487/766 EDGAR E BILLINGS 28 35 8 15 A31/83 133 50 A 193/163 73 / 677/337 69 58A BREST 5 LEMBER 120-00A F24 191 131 172 (91/532 11 75 A 20 % & PH 6.T N 809150W DOMESTICANON, PONT STORY TO THE STORY TO STO ELHANDU ENGLA RHOUSE AT7/797 130.09A 1941 4:1/331 89 30 4 12 3 3 THE LENGH PRITISHO COMENT CO. (195. [596) 284|383 (34.594 17.39 MIR 49. Q a measure mounts unsolf (c) in 508-80 0 m 71/2 (7)/34 INCHUSIN & VILLE MARKIN NOFF 484 198 333/191 190/66I 190/41A 1946 10 50 A 110.08 A P 32 THIBE (र्हाच REPLET S WINGE 412|417 |4 00 eg MAKEHELD YALLEY RE 210/136 80 864 9760 TVAUS.S PLANED 418/93 1118A 12152 DOREST E BASTUS \$10 AW ROID CE 418 99 37.94 A PS5 193/93% 4 693 LENISH BORTLEND CEMENT CO. F40 WILLIAM H. HEUDIN 110|119 483|542 87.10 R 168 186A 19:50 764 193 E ABIJIM YOLD 301 7 20 m 12 477/797 145 278 77.W7 196/464 15-84 A 77:56 etuien bontione tement to-252/18 207.34 h ALBEY 16 BOACH 779 [HARLES BLACK [TENANT] ELMIER PRESENT (DATES IN. CARR-877 268/189 131.92 h 976 471,604 127,993 FOI JOHN WILLIET WILL 200 (467 10 00 0 use wet SLEY WIL 193 463 27:00 A 486 177 20.06 A BECONGE B WHITE LEWICH POSTUMB CENCY (O. JOHN WESLEY WILL M 56-771 14.56-P3 MAP 56 . P37 215117 M.45,7748 DEPT OF ASSESSMENTS & TAXATION of tem Binminana 773 REVISED TO JAN 72 500 ETS " HILLIANS 764 770 767 THY MAD

